

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	100	("20040004995") or ("20030189988") or ("20010018719") or ("20050207519") or ("5548108") or ("4310840") or ("20040141573") or ("4710923") or ("5146473") or ("5790592") or ("5544140") or ("6088385") or ("5673291") or ("6542452") or ("5694434") or ("6618431") or ("6236283") or ("7092438") or ("20030143951") or ("20010047434") or ("20050124330") or ("20030138040") or ("7039000") or ("20030179737") or ("20030112743") or ("20050207483") or ("20050219213") or ("20070121748") or ("20050281281") or ("5745792") or ("4005423") or ("6108720") or ("4364397") or ("6167133") or ("5138440") or ("6209041") or ("6404357") or ("6284963") or ("20020031099") or ("6460161") or ("20040071199") or ("6490676") or ("20060008180") or ("6650694") or ("20070083685") or ("6701341") or ("6122703") or ("6791556") or ("6401162") or ("6834074") or ("6530059") or ("7139707") or ("6580771") or ("20010023634") or ("6624767") or ("20020176489") or ("6912244") or ("20030043159") or ("6985516") or ("20040047405") or ("7010016") or ("7002934") or ("7167531") or ("5222101") or ("7190749") or ("4706263") or ("20060215777") or ("4707841") or ("20070025424") or ("5311545") or	US-PGPUB; USPAT	OR	OFF	2009/01/29 18:54

		( "20070040704") or ("5394437") or ("20070111664") or ("5539730") or ("5497153") or ("5550869") or ("5714950") or ("5625828") or ("6084883") or ("5666378") or ("5020080") or ("5878088") or ("5418778") or ("5930296") or ("5892980") or ("6075814") or ("6032033") or ("6122246") or ("6425091") or ("6128357") or ("6621876") or ("6317473") or ("6704324") or ("6369857") or ("6724851") or ("6393049") or ("20020122467") or ("6502138") or ("6507602") or ("6563861")).PN.				
S2	99	710/52.ccls. AND (@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 signal) AND (plurality NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S3	15	(@ay<="2002" OR @rlad<="20020703") AND (sample AND symbol) SAME (three WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S4	51	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME ("ping pong" NEAR5 buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S5	258	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (three OR five) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S6	534	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S7	99	(@ay<="2002" OR @rlad<="20020703") AND (digital NEAR5 communication) AND (sample OR symbol) SAME (first AND second AND third) WITH buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54

S8	31	(@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) SAME (first AND second) WITH buffer AND (receiv\$3 WITH third WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S9	80	(@ay<="2002" OR @rlad<="20020703") AND (sample OR symbol) SAME fifth NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S10	6	(@ay<="2002" OR @rlad<="20020703") AND (triple OR quintuple) WITH buffer AND multi\$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S11	62	(@ay<="2002" OR @rlad<="20020703") AND (five OR quintuple) WITH buffer AND (sample OR symbol) AND multi\$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S12	100	(@ay<="2002" OR @rlad<="20020703") AND overflow WITH buffer AND (sample OR symbol) AND multi \$path	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S13	65	(@ay<="2002" OR @rlad<="20020703") AND three WITH overflow NEAR5 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S14	8	(@ay<="2002" OR @rlad<="20020703") AND three WITH "overflow buffer"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S15	90	(@ay<="2002" OR @rlad<="20020703") AND scalable NEAR3 buffer	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S16	72	(@ay<="2002" OR @rlad<="20020703") AND circular NEAR3 buffer WITH (five OR quintuple) AND (sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S17	183	(@ay<="2002" OR @rlad<="20020703") AND plurality NEAR5 buffer AND ((turn\$3 ADJ off) OR shut \$down OR disabl\$3 OR stop \$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54

S18	61	(@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH buffer SAME ((turn\$3 ADJ off) OR shut \$down OR disabl\$3 OR stop \$4) NEAR5 receiver	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S19	6	((("6795489") or ("6853839") or ("6985516") or ("20020176489") or ("20040165567") or ("6714527")).PN.	US-PGPUB; USPAT	OR	OFF	2009/01/29 18:54
S20	710	(@ay<="2002" OR @rlad<="20020703") AND buffer NEAR5 ((turn\$3 ADJ off) OR (shut\$3 ADJ down) OR disabl\$3) WITH power	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:54
S21	2	((("6650140") or ("6615307"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/01/29 18:54
S22	201	(@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer SAME (during OR while OR simultaneous\$2) WITH (receiv \$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/29 18:55
S23	14	((("20010002199") or ("20010036195") or ("20030099210") or ("20030128678") or ("20030235238") or ("4991088") or ("5838671") or ("5963563") or ("6167062") or ("6496795") or ("6577649") or ("6603801") or ("6748010") or ("7035318"))).PN.	US-PGPUB; USPAT	OR	OFF	2009/01/30 09:41
S24	27	("20010002199"   "20010038633"   "20020094017"   "20020176489"   "20030099210"   "20030147365"   "20040165567"   "4347580"   "4484028"   "4550414"   "4841574"   "5164959"   "5838671"   "5864714"   "5892980"   "5963563"   "6115728"   "6122444"   "6167062"   "6577649"   "6615307"   "6650140"   "6714527"   "6721295"   "6795489"   "6853839"   "6985516").PN. OR ("7406102").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/30 12:15

S25	3	(@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer SAME (if OR whenever OR "on condition") WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 15:38
S26	30	(@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR "on condition") WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 15:53
S27	34	(@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) WITH buffer AND (if OR whenever OR conditional) WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 16:44
S28	5	(@ay<="2002" OR @rlad<="20020703") AND process\$3 WITH (sample OR symbol) SAME (if OR whenever OR conditional) WITH (receiv\$3 WITH buffer)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 17:25
S29	0	(@ay<="2002" OR @rlad<="20020703") AND (receiv\$3 WITH buffer) WITH (presence OR exist) WITH (previous OR prior) NEAR5 (sample OR symbol) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:10
S30	0	(@ay<="2002" OR @rlad<="20020703") AND receiv\$3 WITH (data OR sample OR symbol) WITH (presence OR exist) WITH (previous OR prior) NEAR5 (sample OR symbol) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:10
S31	398	(@ay<="2002" OR @rlad<="20020703") AND receiv\$3 WITH (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:11
S32	157	(@ay<="2002" OR @rlad<="20020703") AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/01/30 18:46

S33	65	(@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 13:34
S34	44	(@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND conditional WITH process\$3 SAME receiv\$3 NEAR5 (data OR sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 14:14
S35	1	("3,984,626").PN.	US-PGPUB; USPAT	OR	OFF	2009/02/02 15:00
S36	77	(@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND process\$3 WITH (data OR sample OR symbol) SAME conditional WITH receiv\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:06
S37	9	(@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND receiv\$3 WITH (data OR sample OR symbol) SAME if WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:10
S38	9	(@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND receiv\$3 WITH (data OR sample OR symbol) SAME "if" WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:15
S39	28	(@ay<="2002" OR @rlad<="20020703") AND receiv\$3 WITH (data OR sample OR symbol) SAME "if" WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:15
S40	220506	(@ay<="2002" OR @rlad<="20020703") AND receiv\$3 WITH (data OR sample OR symbol) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:19
S41	18262	(@ay<="2002" OR @rlad<="20020703") AND "375".clas. AND receiv\$3 WITH (data OR sample OR symbol) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:19
S42	1633	(@ay<="2002" OR @rlad<="20020703") AND ("375/148" OR "375/316" OR "375/130").ccls. AND receiv\$3 WITH (data OR sample OR symbol) WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:20

S43	2776	(@ay<="2002" OR @rlad<="20020703") AND ("375/148" OR "375/316" OR "375/130").ccls. AND receiv\$3 WITH process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:20
S44	936	(@ay<="2002" OR @rlad<="20020703") AND ("375/148" OR "375/316" OR "375/130").ccls. AND receiv\$3 NEAR5 (data OR sample OR symbol) WITH process\$3 NEAR5 (data OR sample OR symbol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:23
S45	7	(@ay<="2002" OR @rlad<="20020703") AND receiv\$3 NEAR5 (next OR latter) NEAR5 (data OR sample OR symbol) WITH (previous OR prior) NEAR5 (sample OR symbol) NEAR5 process\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:56
S46	4	"974935".ap.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/02/02 15:59

2/ 3/ 2009 1:44:47 PM

C:\ Documents and Settings\hyu\ My Documents\ EAST\ Workspaces\ 10613897\_CDMA\_Buffer\_A2.  
wsp